

Transportation Assessment Memorandum of Understanding (MOU)

This MOU acknowledges that the Transportation Assessment for the following Project will be prepared in accordance with the latest version of LADOT's Transportation Assessment Guidelines:

I. PROJECT INFORMATION

Project Name: The Home Depot Granada Hills

Project Address: 16830 Devonshire Street, Granada Hills

Project Description: Construction of a 107,560 square-foot home improvement store with a 28,420 square-foot garden center

replacing a 95,600 square-foot commercial center, including a 40,000 square-foot, 2,400-seat movie theater (10,000 square feet will remain)

LADOT Project Case Number: SFV 21-111453 Project Site Plan attached? (Required) Yes IN No Refer to Figure 2-2

II. TRANSPORTATION DEMAND MANAGEMENT (TDM) MEASURES

Select any of the following TDM measures, which may be eligible as a Project Design Feature¹, that are being considered for this project:

	Reduced Parking Supply ²		Bicycle Parking and Amenities		Parking Cash Out	
--	-------------------------------------	--	-------------------------------	--	------------------	--

List any other TDM measures (e.g. bike share kiosks, unbundled parking, microtransit service, etc.) below that are also being considered and would require LADOT staff's determination of its eligibility as a TDM measure. LADOT staff will make the final determination of the TDM measure's eligibility for this project.


1	4
2	55
3	6


III. TRIP GENERATION

Trip Generation Rate(s) Source: ITE 10th Edition / Other ITE 10th Edition

Trip Generation Adjustment (Exact amount of credit subject to approval by LADOT)	Yes	No
Transit Usage		
Existing Active or Previous Land Use		
Internal Trip		
Pass-By Trip		
Transportation Demand Management (See above)		

Trip generation table including a description of the existing and proposed land uses, rates, estimated morning and afternoon peak hour volumes (ins/outs/totals), proposed trip credits, etc. attached? (*Required*) I Yes I No Refer to Table 2-1





¹ At this time Project Design Features are only those measures that are also shown to be needed to comply with a local ordinance, affordable housing incentive program, or State law.

²Select if reduced parking supply is pursued as a result of a parking incentive as permitted by the City's Bicycle Parking Ordinance, State Density Bonus Law, or the City's Transit Oriented Community Guidelines.
FNV- 2022 - 1982 March 2021 | Page 1 of 3



City of Los Angeles Transportation Assessment MOU LADOT Project Case No: SFV 21-111453

Refer to Figure 3-10 and Table 3-3

IV. STUDY AREA AND ASSUMPTIONS

Project Buildout Year: 2025 Ambient Growth Rate: <u>1.0</u> % Per Yr.

Related Projects List, researched by the consultant and approved by LADOT, attached? (Required) I Yes D No

STUDY INTERSECTIONS and/or STREET SEGMENTS:

(May be subject to LADOT revision after access, safety, and circulation evaluation.)

- 1Balboa Boulevard/Devonshire Street4Westerly Project Driveway/Devonshire Street2Balboa Boulevard/Lassen Street5Petit Avenue/Devonshire Street
- 3 Westerly Project Driveway/Devonshire Street 6 Hayvenhurst Avenue/Devonshire Street

Provide a separate list if more than six study intersections and/or street segments.

Is this Project located on a street within the High Injury Network? 🔳 Yes 🔲 No Refer to Figure 3-7

If a study intersection is located within a ¼-mile of an adjacent municipality's jurisdiction, signature approval from said municipality is required prior to MOU approval.

V. ACCESS ASSESSMENT

- a. Does the project exceed 1,000 net DVT?
 Ves IN No
- b. Is the project's frontage 250 linear feet or more along an Avenue or Boulevard as classified by the City's General Plan? Yes □ No
- c. Is the project's building frontage encompassing an entire block along an Avenue or Boulevard as classified by the City's General Plan? □ Yes No

VI. ACCESS ASSESSMENT CRITERIA

If Yes to any of the above questions a., b., or c., complete Attachment C.1: Access Assessment Criteria.

VII. SITE PLAN AND MAP OF STUDY AREA Refer to Figures 1-1, 2-2 and 2-3

Please note that the site plan should also be submitted to the Department of City Planning for cursory review.

Does the attached site plan and/or map of study area show	Yes	No	Not Applicable
Each study intersection and/or street segment	×		
*Project Vehicle Peak Hour trips at each study intersection		× [a]	
*Project Vehicle Peak Hour trips at each project access point		x [a]	
*Project trip distribution percentages at each study intersection	×		
Project driveways designed per LADOT MPP 321 (show widths and directions or lane assignment)	×		
Pedestrian access points and any pedestrian paths	×		
Pedestrian loading zones	×		
Delivery loading zone or area	×		
Bicycle parking onsite	×		
Bicycle parking offsite (in public right-of-way)		×	

*For mixed-use projects, also show the project trips and project trip distribution by land use category.

[a] While not shown on the provided site plan or study area map, this information will be included in the TAR.



VIII. FREEWAY SAFETY ANALYSIS SCREENING

Will the project add 25 or more trips to any freeway off-ramp in either the AM or PM peak hour? 🛛 YES 🔳 NO


Provide a brief explanation or graphic identifying the number of project trips expected to be added to the nearby freeway off-ramps serving the project site. If Yes to the question above, a freeway ramp analysis is required.

IX. CONTACT INFORMATION

	CONSULTANT	DEVELOPER		
Name:	Linscott, Law & Greenspan, Engineers	Scott Mommer, Lars Andersen & Associates, Inc.		
Address:	600 South Lake Avenue, Suite 500, Pasadena, CA 91106	4694 W. Jacquelyn Avenue, Fresno, California 93722		
Phone Nu	imber: <u>626-796-2322</u>	(559) 276-2790 Ext. 112		
E-Mail:	bravo@llgengineers.com	SMommer@larsandersen.com		


Approved by:	X <u><u>Hancesca</u>farlb Paaw</u>	02/16/22	X Kurtury	2/18/2022
	Consultant's Representative	Date	LADOT Representative	**Date
Adjacent Municipality:		Approved by: (if applicable)	Representative	Date

**MOUs are generally valid for two years after signing. If after two years a transportation assessment has not been submitted to LADOT, the developer's representative shall check with the appropriate LADOT office to determine if the terms of this MOU are still valid or if a new MOU is needed.



The Home Depot Granada Hills Project


GREENSPAN engineers




o:\job_file\4433\dwg\f2-1.dwg LDP 15:20:09 06/25/2021 rodriguez

Shared Driveway


 \sim




01/13/2022 10:51:28 o:\job_file\4433\dwg\f2-3.dwg LDP



o:\job_file\4433\dwg\f2-3.dwg LDP 15:31:21 06/25/2021 rodriguez





o:\job_file\4433\dwg\f3-10.dwg LDP 10:13:23 06/25/2021 rodrique:

			PEAK H			PEAK H	
LAND USE	SIZE	IN	OUT	TOTAL	IN	OUT	TOTAL
<i>Proposed Use</i> Home Improvement Superstore [3] - Less 20% Pass-by [4] Shopping Center [5] - Less 50% Pass-by [4]	107,560 GSF 10,000 GLSF	96 (19) 6 (3)	73 (15) 3 (2)	169 (34) 9 (5)	123 (25) 18 (9)	128 (26) 20 (10)	251 (51) 38 (19)
Subtotal Proposed Uses		80	59	139	107	112	219
<i>Existing Uses</i> Movie Theater [6] - Less 10% Pass-by [4] Shopping Center [5] - Less 50% Pass-by [4]	(2,400) Seats (55,600) GLSF	Nom. 0 (32) 16	Nom. 0 (20) 10	Nom. 0 (52) 26	(119) 12 (102) 51	(97) 10 (110) 55	(216) 22 (212) 106
Subtotal Existing Uses		(16)	(10)	(26)	(158)	(142)	(300)
NET INCREASE		64	49	113	(51)	(30)	(81)

Table 2-1 PROJECT TRIP GENERATION [1]

[1] Source: ITE "Trip Generation Manual", 10th Edition, 2017.

[2] Trips are one-way traffic movements, entering or leaving.

[3] ITE Land Use Code 862 (Home Improvement Superstore) trip generation average rates.

- Daily Trip Rate: 30.74 trips/1,000 SF of floor area; 50% inbound/50% outbound

- AM Peak Hour Trip Rate: 1.57 trips/1,000 SF of floor area; 57% inbound/43% outbound

- PM Peak Hour Trip Rate: 2.33 trips/1,000 SF of floor area; 49% inbound/51% outbound

- [4] Source: LADOT policy on pass-by trip adjustments. Pass-by trips are made as intermediate stops on the way from an origin to a primary trip destination without a route diversion. Pass-by trips are attracted from the traffic passing the site on an adjacent street or roadway that offers direct access to the site.
- [5] ITE Land Use Code 820 (Shopping Center) trip generation average rates.

- Daily Trip Rate: 37.75 trips/1,000 SF of floor area; 50% inbound/50% outbound

- AM Peak Hour Trip Rate: 0.94 trips/1,000 SF of floor area; 62% inbound/38% outbound
- PM Peak Hour Trip Rate: 3.81 trips/1,000 SF of floor area; 48% inbound/52% outbound
- [6] ITE Land Use Code 444 (Movie Theater) trip generation average rates.
 - Daily Trip Rate: 1.76 trips/seat; 50% inbound/50% outbound
 - AM Peak Hour: Land use not open during the morning peak hour.
 - PM Peak Hour Trip Rate: 0.09 trips/seat; 55% inbound/45% outbound

Table 3-3 RELATED PROJECTS LIST AND TRIP GENERATION [1]

MAP	PROJECT	PROJECT NAME/NUMBER	LAND USE DATA		DAILY TRIP ENDS [2]		PEAK H DLUMES			PEAK H OLUMES	1111 A 11
NO.	STATUS	ADDRESS/LOCATION	LAND-USE SIZE		VOLUMES	IN	OUT	TOTAL	IN	OUT	TOTAL
1	Built	Starbucks 9900 Balboa Boulevard	Barista Café with Drive-Thru	2,240 GSF	850	110	110	220	44	44	88
ТОТА	AL				850	110	110	220	44	44	88

[1] Source: City of Los Angeles Department of Transportation (LADOT) and Department of City Planning (LADCP), except as noted below. The peak hour traffic volumes were forecast on trip data provided by LADOT and by applying trip rates as provided in the ITE "Trip Generation", 9th Edition, 2012 and ITE "Trip Generation Manual", 10th Edition, 2017. For those related projects that LADOT provided trip data, the peak hour directional distribution data provided in the ITE "Trip Generation" manual were utilized.

[2] Trips are one-way traffic movements, entering or leaving.

CITY OF LOS ANGELES VMT CALCULATOR Version 1.3



Project Screening Criteria: Is this project required to conduct a vehicle miles traveled analysis?

Project Information	Existing Lar	nd Use		Project Screening Summary			
Project: Project: Www.	Land Use Type Remit Morento Access Retail General Retail Retail Movie Theater	Value	Unit Seats 🆛 ksf Seats	Existing Land Use	Proposed Project		
Address: "Human we burner hum of the jam		2400	Jeals	3,541 Daily Vehicle Trips 24,331 Daily VMT	3,328 Daily Vehicle Trips 24,086 Daily VMT		
	Click here to add a single custom land use typ	e (will be included in	the above list)	Tier 1 Screen Project will have less residen to existing residential units & mile of a fixed-rail station.	tial units compared		
Surrow Singer	Proposed Projec Land Use Type Retail General Retail	Value Imana 10	Unit ksf 🍦	Tier 2 Screen The net increase in daily trip			
Is the project replacing an existing number of residential units with a smaller number of residential units AND is located within one-half mile of a fixed-rail or fixed-guideway transit	Retail Home Improvement Superstore	107.56	ksf	The net increase in daily VM The proposed project consist land uses ≤ 50,000 square fee	Net Daily VMT ts of only retail 117,560		
station?	. I Click here to add a single custom land use typ	e (will be included in	the above list)	The proposed project perform VM			
					Measuring the Miles		

Attachment C.1: Access Assessment Criteria



Access Assessment Criteria

This Criteria acknowledges that the Transportation Assessment for the following Project will be prepared in accordance with the latest version of LADOT's Transportation Assessment Guidelines:

I. PROJECT INFORMATION

Project Name: The Home Depot Granada Hills

Project Address: 16830 Devonshire Street, Granada Hills

Project Description: Construction of a 107,560 square-foot home improvement store with a 28,420 square-foot garden center

replacing a 95,600 square-foot commercial center, including a 40,000 square-foot, 2,400-seat movie theater (10,000 square feet will remain)

LADOT Project Case Number: SFV 21-111453

II. PEDESTRIAN/ PERSON TRIP GENERATION

Source of Pedestrian/Person Trip Generation Rate(s)? 🗏 VMT Calculator 🛛 🗷 ITE 10th Edition 👘 Other:

	Land Use	Size/Unit	Daily Person Trips
	Home Improvement Store	107,560 SF	138
Proposed			
		Total new trips:	138

Pedestrian/Person trip generation table including a description of the proposed land uses, trip credits, person trip assumptions, comparison studies used for reference, etc. attached? X Yes No Refer to Table A

III. PEDESTRIAN ATTRACTORS INVENTORY

Attach Pedestrian Map for the area (1,320 foot radius from edge of the project site) depicting: Refer to Figure 3-1

- site pedestrian entrance(s)
- Existing or proposed passenger loading zones
- pedestrian generation/distribution values
 - o Geographic Distribution: N <u>25</u> % S <u>25</u> % E <u>25</u> % W <u>25</u> %
- transit boarding and alighting of transit stops (should include Metro rail stations; Metro, DASH, and



City of Los Angeles Transportation Assessment MOU

other municipal bus stops)

- Key pedestrian destinations with hours of operation:
 - o schools (school times)
 - o government offices with a public counter or meeting room
 - o senior citizen centers
 - o ecreation centers or playgrounds
 - o public libraries
 - o medical centers or clinics
 - o child care facilities
 - post offices
 - o places of worship
 - o grocery stores
 - o other facilities that attract pedestrian trips
- pedestrian walking routes to key destinations from project site

Note: Pedestrian Count Summary, Bicycle Count Summary, Manual Traffic Count Summary will need to be attached to the Transportation Assessment

IV. FACILITIES INVENTORY

Is a High Injury Network street located within 1,320 foot radius from the edge of the project site? Xes No If yes, list streets and include distance from the project:

Devonshire Street (project frontage)	at <u>0</u> (feet)
Balboa Boulevard	at <u>530</u> (feet)
	(feet)
	at(feet)

Attach Radius Map for the area (1,320 foot radius from edge of the project site) depicting the following existing and proposed facilities: Refer to Figure 3-1

- transit stops
- bike facilities
- traffic control devices for controlled crossings
- uncontrolled crosswalks
- location of any missing, damaged or substandard sidewalks

For a reference of planned facilities, see the Transportation Assessment Support Map



City of Los Angeles Transportation Assessment MOU

Crossing Distances

Does the project property have frontage along an arterial street (designated as either an Avenue or Boulevard?)

🗙 Yes 📃 No

If yes, provide the distance between the crossing control devices (e.g. signalized crosswalk, or controlled midblock crossing) along any arterial within 1,320 feet of the property.

1,210 (feet) at Devonshire St: Balboa BI - Petit Ave	(feet) at
(feet) at	(feet) at

V. Project Construction

Will the project require any construction activity within the city right-of-way?

If yes, will the project require temporary closure of any of the following city facilities?

- sidewalk
- bike lane
- parking lane
- travel lane
- bus stop
- bicycle parking (racks or corrals)
- bike share or other micro-mobility station
- car share station
- parklet
- other: _____

LAND USES/USERS	SIZE	DAILY PERSON TRIP ENDS		
		IN	OUT	TOTAL
Proposed				
Home Improvement Superstore [1]	107,560 GSF	3,356	3,356	6,712
Shopping Center [2]	10,000 GLSF	384	384	768
<u>Existing</u> Shopping Center [2]	(95,600) GLSF	(3,671)	(3,671)	(7,342)
TOTAL DAILY PERSON TRIPS				138

Table A PROJECT PERSON TRIP GENERATION FORECAST

- [1] Daily person trip generation forecast based on person trip rates provided in the ITE Trip Generation Manual, 10th Edition for Land Use 862 (Home Improvement Superstore). As only weekday AM and PM peak hour person trip rates are provided, the daily person trip rates were estimated by multiplying the daily vehicle trip rates by the ratio of PM person trip rates to PM vehicle trip rates.
 - ITE Land Use Code 862 (Home Improvement Superstore) person trip generation average rates are as follows: Weekday AM Peak Hour: 3.59 person trips/1,000 SF of floor area; 56% inbound and 44% outbound Weekday PM Peak Hour: 4.73 person trips/1,000 SF of floor area; 50% inbound and 50% outbound
 - ITE Land Use Code 862 (Home Improvement Superstore) trip generation average rates.
 - Daily Trip Rate: 30.74 trips/1,000 SF of floor area; 50% inbound/50% outbound
 - AM Peak Hour Trip Rate: 1.57 trips/1,000 SF of floor area; 57% inbound/43% outbound
 - PM Peak Hour Trip Rate: 2.33 trips/1,000 SF of floor area; 49% inbound/51% outbound
- [2] Daily person trip generation forecast based on person trip rates provided in the ITE Trip Generation Manual, 10th Edition for Land Use Code 820 (Shopping Center). As only weekday PM peak hour person trip rates are provided, the daily person trip rates were estimated by multiplying the daily vehicle trip rates by the ratio of PM person trip rates to PM vehicle trip rates.
 - ITE Land Use Code 820 (Shopping Center) person trip generation average rates are as follows:

Weekday PM Peak Hour: 7.75 person trips/1,000 SF; 50% inbound and 50% outbound

ITE Land Use Code 820 (Shopping Center) trip generation average rates.

- Daily Trip Rate: 37.75 trips/1,000 SF; 50% inbound/50% outbound

- PM Peak Hour Trip Rate: 3.81 trips/1,000 SF; 48% inbound/52% outbound

As no person trip data is available for Movie Theaters from source documents (e.g., ITE "Trip Generation Manual"), the existing movie theater use of 40,000 square feet was combined with the existing 55,600 square-foot retail use.

